

Recommended by Leading Composite Manufacturers

CONCENTRATE * BIODEGRADABLE

Corte * Clean®

Before/After
Avant/Après
Antes/Después

Composite Cleaner

DECKS • DOCKS • FENCES

ECO

Responsible

Removes Stains CAUSED BY

MOLD MILDEW GREASE OIL RUST BBQ SPOTS & MORE

Cleans

300-500 +/- sq. ft.*

28-46 m²*

*approximately

Después

WARNING: SEVERE EYE/SKIN/NOSE/THROAT IRRITANT. HARMFUL IF INHALED OR SWALLOWED. See Back Panel.

Net WT. 2.77lbs. /44.32 oz. /1.26 kg.

Rear Of Corte Clean Label For Bag

"I used Corte Clean when cleaning our composite deck and can tell you in one word how well it worked. That word is WOW! It is an excellent product to work with and our deck looks like new again. Corte Clean customer – Schenectady, NY

CORTE*CLEAN™ ADVANTAGES

•Removes Stains Caused By Mold & Mildew, Grease, Oil, Rust, Tannins, Leaves, Pine Needles, Berries, Foods, Chalk, Wine, Sunscreen, BBQ, Wax, Mill Markings, Ground In Dirt, Spots and more. If Corte Clean won't remove these and most other common stains, it's likely nothing will.

•Developed Exclusively For Composite Materials. •No need to purchase & apply multiple products for specific staining issues. •No risk of accidentally or intentionally mixing dangerous chemicals. •Eliminates wasted time, cost, guess work, labor & risks. •No need to purchase & riskily add or use Chlorine Bleach. •No Sodium Hypochlorite, Oxalic Acid, Ammonia or Phosphates. •No harsh chemical smell. •Non-Corrosive to structural metal. •Will not cause rust stains. •Safe to rinse into natural waterways. •Environmentally Responsible.

EQUIPMENT NEEDED

• Pump Sprayer • Hose • Bucket • Brush • Mixing Stick

APPLICATION

Intended to clean composites such as; Trex®, TimberTech®, Fiberon®, Portico®, WeatherBest®, Veranda®, ChoiceDek®, NewTech®, Oasis®, AmeriDeck®, Azek®, Boardwalk®, Correct Deck®, Symmatrix®, Cross Timbers®, EverGrain®, Everex®, GeoDeck®, Greenland Composites®, VEKAdeck®, UltraDeck®, Millennium®, MoistureShield®, Monarch®, Nexwood®, PrairieDeck®, Procell®, RhinoDeck®, SmartDeck®, Tendura®, UltraDeck®, Latitudes®, Terratec®, Xtendex®, etc.. NOTE: Brand names are trademarks of their respective owners.

•Use Corte Clean at least twice yearly, spring & fall, or when stains appear. •Works best in direct sunlight between 65° to 85° F. (19° to 29° C.) when composite is completely dry. •Remove all items from composite such as tables, chairs, plants, etc. To avoid damage, cover or protect areas & items not intended to be cleaned such as glass, aluminum, etc. Water plants before & after use. •Hose composite with water. Brush surface to remove loose dirt & debris. Remove debris from in-between boards. Make sure composite drains properly.

•Allow composite to thoroughly dry before applying Corte Clean. •Do not clean more than one section of railing/fencing or 10 square feet (1m²) of decking at a time. •Apply heavy, even coat of Corte Clean with pump sprayer starting at highest point. •Allow Corte Clean to stand on composite until it becomes dirty, discolored or approximately 20+/- minutes, keeping area wet with additional Corte Clean. •Do not allow dirty Corte Clean to dry on composite. •Scrub with brush if necessary. If more abrasion is necessary, sprinkle Corte Clean powder directly on composite that is wet with Corte Clean, scrub with brush.

•Rinse with water. Water magnifies stains. If stains are still visible, repeat application process. Composites that have tough stains, been neglected or previously cleaned with other products and/or sealed may require several applications & additional Corte Clean. •When Corte Clean no longer becomes dirty or discolored, it can be diluted & allowed to dry on weathered composite surfaces. Corte Clean is designed to continue to clean any time it receives moisture until thoroughly rinsed. A white residue may remain until thoroughly rinsed (use a brush if necessary). Thoroughly rinse composite prior to using.

MIXING INSTRUCTIONS/Buscar Adentro para Instrucciones en Espanol

•Wear appropriate skin & eye protection! •Add 1 gallon (3.79 L/3790ml) of water to plastic bucket using pump sprayer measuring device or 32 scoops of water with the provided 4 oz. (1/2 Cup) measuring device. •Add 4 to 5 scoops (16-20 oz/2-2.5 Cups/.47-.59 L/473-591ml) of Corte Clean powder to water. MAXIMUM STRENGTH of 5 scoops may be necessary to remove stains. Use up to 2.5 scoops (10 oz/1.5 Cups/.3 L/296ml) for routine cleaning. •Mix until all Corte Clean powder crystals are dissolved. •Pour into pump sprayer. •Use Corte Clean solution within 2 hours of mixing. •1 gallon of mixed Corte Clean should cover approximately 125 +/- sq. ft. (11.61 +/- m²) depending on condition & porosity of composite. WARNING! Increased strength may speed up weathering of some composites, especially those that are new. Always test first on inconspicuous area or sample of composite to ensure desired results. Do not use if

not satisfied with results. •Do not spot clean unless entire composite has been thoroughly Corte Cleaned.

Demo Video, Tips, FAQ's, Photos, Testimonials, MSDS, etc. can be found @ www.corteclean.com or by calling (415) 924-9500 or (888) 203-2202.

STORAGE & DISPOSAL

Store new or un-used Corte Clean in original re-sealable packaging, away from combustible materials in dry, cool, area out of direct sunlight. Recycle empty packaging & scoop or dispose of properly in trash only if recycling is not available!

CAUTION/WARNING

•PREVENT ALL SKIN, EYE, & ANIMAL CONTACT •KEEP OUT OF REACH OF CHILDREN & ANIMALS
•DO NOT MIX WITH OTHER CHEMICALS/CLEANERS •USE ONLY WITH ADEQUATE VENTILATION
•SKIN/EYE/NOSE/THROAT IRRITANT •DO NOT INGEST OR BREATH DUST •MAY MAKE SURFACE SLIPPERY •HIGHLY ALAKALINE •CONTAINS: SODIUM PERCARBONATE & SODIUM METASILICATE

FIRST AID

In case of skin or eye contact, flush with water for 15 minutes and seek medical attention. If ingested, rinse mouth with water, drink water or milk and seek medical attention. If inhaled, and breathing becomes difficult, immediately seek medical attention.

GUARANTEE & LIMITED WARRANTY

Corte LLC guarantees & warrants your satisfaction with the performance of Corte Clean when applied in accordance with label directions and used by: "Best If Used By" date on package. Permanent stains, not purchasing enough Corte Clean to clean the intended square footage/m² or return of stains specifically are excluded. Re-growth of Mold & Mildew is not a warranty claim. Materials previously coated or sealed with product not manufactured or recommended by Corte LLC voids warranty. Weathering or fading of composite is specifically not a warranty claim. Corte Clean container cleans stated approximate area depending on surface condition and strength used. Corte LLC makes no other expressed warranties. In the event Corte Clean fails to conform to this warranty, Corte LLC, at its sole liability and in lieu of any direct or indirect, incidental, special or consequential damages, will, at its option, furnish replacement product or refund the purchase price, excluding shipping & handling. Labor or the costs of labor for the handling & application of any product specifically are excluded. Proof of purchase, receipt, original bag, how & when product was used and proof of product failure must be supplied within 6 months of purchase date to make a warranty claim. This warranty gives you specific legal rights, and you may also have other rights which vary state to state or country to country. Some states and countries do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you. To make a claim under this warranty, contact Corte LLC.

Barcode
85596001034

Best If Used By:



www.corteclean.com

©2009 Distributed by Corte LLC, Corte Madera, CA 94925